



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of : Selcer et al
Serial No. : 09/825,660
Filed: : 04/03/01
Title: : **ROTARY CABLE TREATMENT METHOD AND APPARATUS**
Atty. Docket : 2166.006

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Assistant of Commissioner for Patents
Office of Initial Patent Examination
Customer Service Center
Washington DC 20231

Dear Sir:


This is responsive to the paper entitled NOTICE TO FILE CORRECTED APPLICATION PAPERS dated May 10, 2001, in connection with the above-identified application.

In this regard, Applicant has corrected and is enclosing two new drawing sheets containing Figures 1-6, wherein the margins have been corrected in compliance with U.S. Patent Office requirements.

It is respectfully requested that this application is now in condition for examination.

Date: 5/21/01


Respectfully submitted,


Michael A. Slavin (Pat. Reg. 34,016)
Attorney for Applicant

MCHALE & SLAVIN, P.A.
4440 PGA Blvd., Suite 402
Palm Beach Gardens, FL 33410
PH: 561-625-6575
FAX: 561-625-6572

Certificate of Mailing Under 37 C.F.R. 1.8(a)

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to Assistant Commissioner for Patents, Washington, D.C. 20231 on

5/21/01

Cathy Nicholson, Legal Assistant



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/825,660	04/03/2001	Toby Selcer	2166.006

CONFIRMATION NO. 2957

FORMALITIES LETTER



OC000000006060835

21917
MCHALE & SLAVIN
4440 PGA BLVD
SUITE 402
PALM BEACH GARDENS, FL 33410

Date Mailed: 05/10/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE